Amendment to the Claims:

This listing of claims replaces all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method of transferring data within a computer system, comprising:

completing a first data transfer;

determining that no data transfers are being processed; using a computer for coalescing two or more transfer

requests into a second data transfer; and

releasing the a second data transfer for processing.

- 2. (Canceled)
- 3. (Currently Amended) The method of claim 1 2, further comprising:

determining there are pending transfer requests to coalesce before releasing the second embined data transfer.

- 4. (Currently Amended) The method of claim 3, wherein releasing comprises determining that the second combined data transfer is an optimum-size that corresponds to an address boundary of an input/output device.
- 5. (Original) The method of claim 4, wherein the address boundary corresponds to a strip boundary corresponding to a redundant array of inexpensive disks (RAID) process.
 - 6. (Original) The method of claim 3, further comprising: storing pending transfer requests; and

determining that the number of pending transfer requests stored is not greater than a queue depth variable before storing a new transfer request.

.7. (Currently Amended) The method of claim 5, further comprising:

gathering performance statistics based on at least one of a number of optimum-size transfers and a largest number of pending requests corresponding to the performance of the method of claim 3: and

modifying the queue depth variable based on the gathered statistics.

8. (Currently Amended) The method of claim 3, wherein a second transfer request is stored on a the pending list, and wherein the second transfer request is not addressed adjacent to the first transfer request address, and

wherein a third transfer request is coalesced with the first and second transfer requests into the second combined data transfer, the third transfer request being adjacent to the first and second transfer requests.

9. (Currently Amended) A method of transferring data within a computer system, comprising:

receiving transfer requests;

releasing data transfers for processing;

using a computer system coalescing two or more transfer requests into an additional data transfer; and

releasing the an additional data transfer for processing each time a first data transfer completes.

10. (Currently Amended) The method of claim 9 10, further comprising:

determining there are pending transfer requests, wherein the additional data transfer comprises a combined data transfer that includes two or more transfer requests.

11. (Currently Amended) The method of claim 10, further comprising:

determining there are pending transfer requests to coalesce before releasing the additional combined data transfer.

- 12. (Currently Amended) The method of claim 9 [[4]], wherein releasing the combined data transfer comprises determining that the additional eembined data transfer is an optimum-size that corresponds to an address boundary of an input/output device.
- 13. (Currently Amended) An article comprising a machinereadable medium that stores machine-executable instructions for transferring data, the instructions causing a machine to:

release a first data transfer for processing; complete a first data transfer;

determine that no data transfers are being processed; combine two or more transfer requests into a second data

transfer; and

release the a second data transfer for processing.

14. (Canceled)

15. (Currently Amended) The article of claim 13 14, wherein instructions causing a machine to release comprises instructions causing a machine to determine that the second combined data transfer is an optimum-size that corresponds to an address boundary of an input/output device.

- 16. (Original) The article of claim 15, wherein the address boundary corresponds to a strip boundary corresponding to a redundant array of inexpensive disks process.
- 17. (Original) The article of claim 15, further comprising instructions causing a machine to:

store pending transfer requests; and

determine that the number of pending transfer requests stored is not greater than a queue depth variable before storing a new transfer request.

18. (Currently Amended) The article of claim 17, further comprising instructions causing a machine to:

gather performance statistics corresponding based on at least one of a number of optimum-size transfers and a largest number of pending requests to the performance of the article of claim 13; and

modify the queue depth variable based on the gathered statistics.

- 19. (Currently Amended) An apparatus for coalescing transfer requests, comprising:
 - a memory that stores executable instructions; and
 - a processor that executes the instructions to: release a first data transfer for processing; complete a first data transfer; determine that no data transfers are being processed; combine two or more transfer requests into a second

data transfer; and

release the a second data transfer for processing.

20. (Canceled)

21. (Currently Amended) The apparatus of claim 19 20, wherein the processor executes instructions to:

determine there are no pending transfer requests to coalesce before releasing the second combined data transfer

- 22. (Currently Amended) The apparatus of claim 21, wherein releasing comprises determining that the second combined data transfer is an optimum-size that corresponds to an address boundary of an input/output device.
- 23. (Original) The apparatus of claim 22, wherein the address boundary corresponds to a strip boundary corresponding to a redundant array of inexpensive disks process.
- 24. (Original) The apparatus of claim 22, wherein the processor executes instructions to:

store pending transfer requests; and

determine that a number of stored transfer requests is not greater than a queue depth variable before storing a new transfer request on the pending list.

25. (Currently Amended) The apparatus of claim 22, wherein the processor executes instructions to:

gather performance statistics based on at least one of a . number of optimum-size transfers and a largest number of pending requests corresponding to the performance of the method of claim 23; and

modify the queue depth variable based on the gathered statistics.

26. (Currently Amended) The apparatus of claim 25, wherein the processor executes instructions to:

store a second transfer request on the pending list, wherein the second transfer request is not addressed adjacent to the first transfer request address; and

coalesce a third transfer request with the first and second transfer requests into the second combined data transfer, the third transfer request being adjacent to the first and second transfer requests.